User's Manual ^{For} Integrated Servo Motor iSV Series




BLDC Servo Motor + Drive, 24-50VDC, Frame 57mm ,90W-180W

1. Introduction

An iSV57T(S) servo motor is a NEMA23 (57mm) brushless motor integrated with a 16-bit magnetic encoder and servo driver, which making performance better and tuning easier. And the compact design saves installation space, eliminates encoder and motor wiring time, reduces interference and costs.

2. Specifications

Parameter	Min	Typical	Max	Unit
Input Voltage	20	36	50	VDC
Continuous Current	0	-	6.0	А
Pulse Input Frequency	0	-	300	kHz
Pulse Voltage	0	5	5	V
Logic Signal Current	7	10	16	mA
Isolation Resistance	100	-	-	MΩ



Part Number	iSV57T-090(S)	iSV57T-130(S)	iSV57T-180(S)
Rated Power(W)	90	130	180
Rated Torque (N.m)	0.3	0.4	0.6
Peak Torque(N.m)	0.9	1.2	1.8
Rated Speed(rpm)	3000	3000	3000
Peak Speed(rpm)	4000	4000	4000
Rated Voltage(Vdc)	36	36	36
Rotor Inertia(g-cm ²)	264	394	524
Weight(kg)	0.95	1.25	1.54
L1(mm)	76	96	116
L(mm)	108	128	148
LS(mm)	33(21)	33(21)	33(21)
LD(mm)	27(15)	27(15)	27(15)

3. Connectors and Pin Assignment

			Control Signal Connector
Pin	Name	I/O	Description
1	PUL+	Ι	Pulse signal: Pulse active at rising edge; 4-5V when PUL-HIGH, 0-0.5V when PUL-LOW.
2	PUL-	I	Minimal pulse width of 2.5µs. It's recommend dutycycle 50%. Add a resistor for current-limiting at +12V or +24V input logic voltage (1K for +12V, 2k for +24V).
3	DIR+	I	DIR signal: Pulse active at rising edge; 4-5V when PUL-HIGH, 0-0.5V when PUL-LOW. The low/high voltage levels to represent two directions of motor rotation. Add a resistor for
4	DIR-	Ι	current-limiting at +12V or +24V input logic voltage (1K for +12V, 2k for +24V). The DIR signal at least 5μs in advance of PUL signal
5	ALM+	0	Alarm Signal: OC output signal, activated when one of the following protection is activated: over-voltage and over current error. They can sink or source MAX 50mA current at 24V. By
6	ALM-	0	default, the impedance between ALM+ and ALM- is low for normal operation and becomes high when any protection is activated. The active impedance of alarm signal is software configurable.

			Power Connector
Pin	Name	I/O	Description
1	+Vdc	Ι	Power Supply Input (Positive) 24-36VDC recommended. Please leave reasonable reservation for voltage fluctuation and back-EMF during deceleration.
2	GND	GND	Power Ground (Negative)

			RS232 Communication Connector
Pin	Name	I/O	Description
1	+5V	0	+5V power output (Note: Do not connect it to PC's serial port)
2	TxD	0	RS232 transmit.
3	GND	GND	Ground.
4	RxD	I	RS232 receive.
5	NC	-	Not connected.

4. DIP Switch

4.1 Microstep (S1-S3)

Pulse/rev	S1	S2	S3
Pr0.08	off	off	off
1600	on	off	off
2000	off	on	off
3200	on	on	off
4000	off	off	on
5000	on	off	on
6400	off	on	on
8000	on	on	on

4.2 Stiffness Setting(S4-S5)

Stiffness	S4	S5
Pr0.03	off	off
9	on	off
10	off	on
11	on	on


4.3 Motor Direction (S6)

The DIP switch S6 is used to change the initial direction of the motor (offline), not as a real-time operation to modify the direction.Online modification of the motor direction is via the DIR signal

S6	Direction
off	CCW
on	CW


5. Typical Connections

5.1 Control Signal Connection



Connections to Differential signals


5.2 Alarm Output Connection



6. Quick Setting of Parameters

6.1 Connect to Tuning Software

When you open the "communication" window, just select the correct COM port and keep the default for other else, like this baud-rate, keep the default 38400, no need to change it to 19200



6.2 Key Parameters

Usually the setting for Pr0.01-0.04 and Pr2.22 can be : Pr0.01 = 0; Pr0.02 = 1; Pr0.03 = 10 – 15; Pr0.04 = 100 – 1000; Pr2.22 is for smooth movement

Pr0.01	Control Mode Setu	`		Range	unit	default
P10.01	Control Mode Setu	J		0-10	-	0
	sition Control Mode : Unsupported Contr					
	Deal time Auto gai			Range	unit	default
Pr0.02	Real-time Auto-gai	n runing		0 -2	-	1
	t up the action mode	of the real-time auto	-gain tur	ning.		
value	Mode	Varying degree of lo	ad inerti	a in motio	n	
	/alid	Real-time auto-gain t				
1 Int	erpolation motion	Used for interpolation	n motion	, such as C	NC, en	graving machine, etc.
2 Po	int-to-point motion	Mainly used for point	-to-point	t movemer	nt	
Note: If Pr0.0	02=1 or 2 , the values of	Pr1.01 – Pr1.13 are all re	ad only, th			
Pr0.03	Stiffness			Range	unit	
		"		0-31	-	11 mended stiffness range
	Low — Res	o gain → High 2.13······ ponse → High er the velocity response a		stiffness wil	l be obta	ained. However, when
-	the value, need to avoid					
				Range	unit	default
Pr0.04	Load inertia ratio			0 -10000	%	300
It means	that the ratio of load	inertia against the m	otor roto	or inertia.	Recom	mended below 1000;
If the valuis too small	all, the motor will sto	et correctly, the unit o	e is large	er than the	e actua	change to "Hz". If this value I, the motor will shake
Pr0.08	Microstep			Range	uni	
	-			0-32767	pul	se 4000
For some	special users, it can	d for one revolution o use Pr0.09 (1 st numer d pulses number , the	ator of e	lectronic g		nd Pr0.10 (Denominator of
			,	Range		unit default
Pr2.22	Positional Commar	nd Smoothing Filter		0 -32767		1ms 0
 When the 1st figure 		[r/min] Vc	eed Vc is	•	set up fore filter and after fi mmand sn me [ms]	the time constant of Iter Filter switching waiting time '2

6.3 Save Parameters

If you want the modified parameters continue to be valid after power off, please click both "Download" and "Save".



6.4 Restore to Factory

If you need to restore the factory settings, it can import the file with our factory parameter values, and then click both "Download" and "Save", then valid after re-power.

Classify Select	Parameter N	ParameterName	Value	Range	Default	Units	Remark
BasicSetting	Pr0.00	Mode loop gain	1	0~32767	1	0.1Hz	No
GainAdjustment	Pr0.01	Control mode	0	0~20	0	_	Position
/ibrationSuppression /elocityTorqueControl	Pr0.02	Real-time auto-gain tuning mo	2	0~2	0	-	No
lonitorSetting	Pr0.03	Read parameter list		×	11	-	No
xtensionSetting	Pr0.04				250	%	No
pecialSetting actorySetting	Pr0.06	查拔范围(I): 📙 Factory Parameter:	•	← 🗈 📸 🐨	0	-	Power
actorypertrag	Pr0.07		1.00		3	-	Power
	Pr0.08	名称		修改日期	0	Pulse	Microst
	Pr0.09	Factory Parameters-ISV57T-90		2021/6/28 14:22	1	_	No
	Pr0.10	Factory Parameters-ISV57T-130		2021/6/28 14:22	1	-	No
	Pr0.11				2500	P/rev	Power
	Pr0.12	Factory Parameters-ISV57T-180		2021/6/28 14:22	0	-	Power
	Pr0.13				300	-	No
		• · · · · · · · · · · · · · · · · · ·		<u>.</u>	200	0.1 rev	Encode
	Pr0.16 ₹	Z件名(M): Factory Parameters-IS	V57T-180	打开 (0)	50	Ω	Power
	Pr0.17		100	1177 (0)	50	W	Power
	Pr0.18	て件类型(T): lsr Files(*.lsr)		✓ 取消	10	Pulse	Encode
	Pr0.19				10	0.1Pulse	Encode

7. Fault Protections & Troubleshooting

To improve reliability, the drive incorporates some built-in protection features.


Blink time(s)	Sequence wave of red LED	Description	Trouble shooting
1		Over-current	Turn off the power immediately. a) Check if the machinery is stuck; b) Re-import factory parameters.
2		Over-voltage	Turn off the power immediately. a) Check if the power supply is below 50V, default over-voltage point is 72VDC
4		Over-load	Turn off the power immediately. c) Check if the machinery is stuck; a) Re-import factory parameters.
5		Encoder error	Restart the power supply, if the drive is still alarm, please contact after-sale
7		Position following error	a) Motor torque is not enough;b) Check if the machinery is stuck;c) Re-import factory parameters.

When above protections are active, the motor shaft will be free and the red LED blinks. Reset the drive by repowering it to make it function properly after removing above problems.

Appendix A. How to get the correct Load inertia ratio

Load inertia ratio is a very important parameter for iSV57T(S) servo, and users need to set the correct load inertia ratio parameter before adjusting the correct rigidity parameter. Then the setup steps are as follows: Note: Do make the axis can be moved in safe distance, any interference should be avoided to ensure safety and

Note: Do make the axis can be moved in safe distance, any interference should be avoided to ensure safety al accuracy of testing .



Select Channel **▼**1 **▼** 2 -Mrring Λ_{MM} **▼** 3 + VN M A ▼ 4 CurrentFeedback(%) -Sampling Setup 144(Trigger Source VelocityFeedback 🕶 Trigger Mode RisingEdgeTrigger 🕶 Trigger Rank 100 Display Points 200 -Sampling Interval (ms) 1*0.125 -└ Cycle Sampling(ms) 1000 18 20 23 25 0 15 13 Time(ms Position Gain Velocity Mode 1stVelocityLoopGain 180 2ndVelocityLoopGain 180 1stPositionLoopGain 320 1stTorqueFilter 126 1stVelocityLoopIntegrationTimeConstant 310 Position Mode 2ndVelocityLoopIntegrationTimeConstant 10000 2ndPositionLoopGain 380 2ndTorqueFilter 126 VelocityFeedforwardGain 300 TorqueFeedforwardGain 0 ControlSwitchingMode 10 RatioOfInertia(%) 400 WR Write the value of "RecognizeOfInertia-100" RealtimeAutomaticAdjustmentRigid 11 - RecognizeOfInertia 500 RealtimeAutomaticAdjustmentMode Locate • 3.Read the value of "RecognizeOfInertia Start Speed Trapezoidal Parameters 2.Click "Start Velocity(rpm) 600 AccelerationAndDecelerationTime(ms/Krpm) 100 IntervalTime(ms) 2000 Press the start button Distance (0. 1 rev) 50 RepeatTimes 3 RunningMode PositiveAndNegative the motor will start.

The value of the load inertia ratio obtained from the above steps can satisfy most applications, but for some cases where the load inertia is very high, the value of Pr0.04 can be increased to more than 1000.

Appendix B. Parameters List

The screenshot of the parameter list is provided for reference only. The figure is the factory parameter value of 180W integrated servo motor, because there are three motor models in this series, so the default parameters may not be the same.

Excepting htdjustment stionSuppression ocityTorqueControl, itorSetting torySetting Pr0.00 Reserved parameters 1 0 ~ 32767 1 0.1Hz Pr0.01 Control mode 0 0 ~ 10 0 - Pr0.02 Real-time auto-gain tuning mo 1 0 ~ 2 1 - Pr0.03 Selection of machine stiffness 11 0 ~ 2 1 - Pr0.04 Ratio of inertia 250 0 ~ 10000 250 % Pr0.04 Ratio of inertia 250 0 ~ 10000 250 % Pr0.05 Microstep 0 0 ~ 1 0 - Pr0.06 Microstep 4000 0 ~ 32767 1 - Pr0.09 1st numerator of electronic gear 1 1 ~ 32767 1 - Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 - Pr0.11 Reserved parameters 2500 1 ~ 0 - - Pr0.12 Reserved parameters 0 0 ~ 10 <
Wdjustent sit onSuppression brityTorqueControl torSatting sialoSting sialoSting sidSting Pr0.01 Control mode 0 0 ~ 10 0 - Pr0.02 Real-time auto-gain tuning mo 1 0 ~ 2 1 - Pr0.03 Selection of machine stiffness 11 0 ~ 31 11 - Pr0.04 Ratio of inertia 250 0 ~ 10000 250 % Pr0.04 Ratio of inertia 250 0 ~ 10000 250 % Pr0.05 Motor rotational direction setup 0 0 ~ 1 0 - Pr0.06 Motor rotational direction setup 0 0 ~ 32767 4000 Pulse Pr0.08 Microstep 4000 0 ~ 32767 1 - Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 - Pr0.11 Reserved parameters 200 1 ~ 2500 2500 P/rev Pr0.13 1storque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup
ityTorgaeControl Pr0.02 Pederame auto-gain tuning mo 1 0 2 1 - Setting Pr0.03 Selection of machine stiffness 11 0 21 1 - sionSetting Pr0.03 Selection of machine stiffness 11 0 11 - sionSetting Pr0.04 Ratio of inertia 250 0 10000 250 % Pr0.04 Ratio of inertia 250 0 10 0 - Pr0.05 Motor rotational direction setup 0 0 0 1 0 - Pr0.06 Motor rotational direction setup 0 0 312 1 - Pr0.07 Reserved parameters 300 0 32767 1 - Pr0.10 Denominator of electronic gear 1 1 32767 1 - Pr0.11 Reserved parameters 0 0 1 0 - Pr0.12 Reserved parameters <
Pr0.03 Selection of machine stiffness 11 0 ~ 31 11 - Desting Setting Setting Pr0.04 Ratio of inertia 250 0 ~ 10000 250 % Pr0.06 Motor rotational direction setup 0 0 ~ 1 0 - Pr0.07 Reserved parameters 3 0 ~ 33 3 - Pr0.08 Microstep 4000 0 ~ 32767 4000 Pulse Pr0.09 1st numerator of electronic gear 1 1 ~ 32767 1 - Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 - Pr0.11 Reserved parameters 2500 1 ~ 2500 2500 Prev Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1st torque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 50 Mc Pr0.17 Regeneration discharge resistr
etting P10.04 Paul of infertial 200 0 10000 200 % etting P10.06 Motor rotational direction setup 0 0 1 0 - Pr0.07 Reserved parameters 3 0 ~ 3 3 - Pr0.08 Microstep 4000 0 ~ 32767 4000 Pulse Pr0.09 1stnumerator of electronic gear 1 1 ~ 32767 1 - Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 - Pr0.11 Reserved parameters 2500 1 ~ 2500 2500 P/rev Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1 storque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 50 M Pr0.17 Regeneratior discharge resis 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N atter 0
Pr0.06 Motor rotational direction setup 0 0 ~ 1 0 - Pr0.07 Reserved parameters 3 0 ~ 3 3 - Pr0.08 Microstep 4000 0 ~ 32767 4000 Pulse Pr0.09 1st numerator of electronic gear 1 1 ~ 32767 1 - Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 - Pr0.12 Reserved parameters 2500 1 ~ 2500 2500 P/rev Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1st torque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1rev Pr0.16 Extenal regenerative resistor 50 10 ~ 5000 50 Ω Pr0.17 Regeneration discharge resis 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Puls
Pr0.08 Microstep 4000 0 ~ 32767 4000 Pulse Pr0.09 1st numerator of electronic gear 1 1 ~ 32767 1 - Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 - Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 - Pr0.11 Reserved parameters 2500 1 ~ 2500 2500 P/rev Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1st torque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1rev Pr0.16 Extenal regenerative resistor 50 10 ~ 5000 50 Q Pr0.17 Regeneration discharge resistor 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.09 1st numerator of electronic gear 1 1 × 32767 1 - Pr0.10 Denominator of electronic gear 1 1 × 32767 1 - Pr0.10 Denominator of electronic gear 1 1 × 32767 1 - Pr0.11 Reserved parameters 2500 1 × 2500 2500 P/rev Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1 sttorque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1rev Pr0.16 Extenal regenerative resistor 50 10 ~ 5000 50 Q Pr0.17 Regenerative discharge resistor 50 10 ~ 1000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.10 Denominator of electronic gear 1 1 ~ 32767 1 Pr0.11 Reserved parameters 2500 1 ~ 2500 2500 P/rev Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1 st torque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1rev Pr0.16 Extend regenerative resistor 50 10 ~ 500 50 Ω Pr0.17 Regeneration discharge resis 50 10 ~ 5000 50 Ω Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.11 Reserved parameters 2500 1 ~ 2500 2500 P/rev Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1 storque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1rev Pr0.16 Extenal regenerative resistor 50 10 ~ 500 50 Ω Pr0.17 Regeneration discharge resistor 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.12 Reserved parameters 0 0 ~ 1 0 - Pr0.13 1st torque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1rev Pr0.16 Extenal regenerative resistor 50 10 ~ 500 50 Ω Pr0.17 Regeneration discharge resis 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.13 1 st torque limit 300 0 ~ 500 300 - Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1 rev Pr0.16 Extenal regenerative resistor 50 10 ~ 500 50 Ω Pr0.17 Regeneration discharge resis 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.14 Position deviation setup 200 0 ~ 500 200 0.1 rev Pr0.16 Extenal regenerative resistor 50 10 ~ 500 50 Ω Pr0.17 Regeneration discharge resis 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.16 Extenal regenerative resistor 50 10 ~ 500 50 Ω Pr0.17 Regeneration discharge resis 50 10 ~ 5000 50 W Pr0.18 Vibration suppression - N after 0 0 ~ 1000 0 Pulse
Pr0.17 Regeneration discharge resis 50 10~5000 50 W Pr0.18 Vibration suppression - N after 0 0~1000 0 Pulse
Pr0.18 Vibration suppression - N after 0 0~1000 0 Pulse
Pr0.19 Microseismic inhibition 0 0~1000 0 0.1Pulse

Classify Select	Parameter N	ParameterName	Value	Range	Default	Units	Remark
BasicSetting	Pr1.00	1st position loop gain	320	0 ~ 30000	320	0.1/s	No
GainAdjustment	Pr1.01	1st velocity loop gain	180	1 ~ 32767	180	0.1Hz	No
VibrationSuppression VelocityTorgueControl	Pr1.02	1st time constant of velocity lo	310	1~10000	310	0.1ms	No
MonitorSetting ExtensionSetting SpecialSetting FactorySetting	Pr1.03	1st filter of velocity detection	8	0~10000	15		No
	Pr1.04	1 st torque filter	126	0~2500	126	0.01ms	No
	Pr1.05	2nd position loop gain	380	0~30000	380	0.1/s	No
	Pr1.06	2nd velocity loop gain	180	1 ~ 32767	180	0.1Hz	No
	Pr1.07	2nd time constant of velocity I	10000	1~10000	10000	0.1ms	No
	Pr1.08	2nd filter of velocity detection	8	0~31	15	-	No
	Pr1.09	2nd torque filter	126	0~2500	126	0.01ms	No
	Pr1.10	Velocity feed forward gain	300	0~1000	300	0.10%	No
	Pr1.11	Velocity feed forward filter	50	0~6400	50	0.01ms	No
	Pr1.12	Torque feed forward gain	0	0~1000	0	0.10%	No
	Pr1.13	Torque feed forward filter	0	0~6400	0	0.01ms	No
	Pr1.14	2nd gain setup	1	0~1	1	-	No
	Pr1.15	Control switching mode	0	0~10	0	1 <u>11</u> 2	No
	Pr1.17	Control switching level	50	0~20000	50	mode	No
	Pr1.18	Control switch hysteresis	33	0~20000	33	mode	No
	Pr1.19	Gain switching time	33	0~10000	33	0.1ms	No
	Pr1.33	Speed given filter	0	0~10000	0	0.01ms	No
	Pr1.35	Position command digital filter	0	0~200	0	50ns	Powero
	Pr1.36	Encoder feedback pulse digit	0	0~200	0	50ns	Powero
	Pr1.37	Special function register	0	0~32767	0	-	No
Add Custom		III					+
Classify Select	Parameter N	ParameterName	Value	Range	Default	Units	Remark
BasicSetting	Pr2.01	1st notch frequency	2000	50 ~ 2000	2000	Hz	No
GainAdjustment	Pr2.02	1st notch width	2	0~20	2	-	No
/ibrationSuppression VelocityTorqueControl	Pr2.03	1st notch depth	0	0~99	0	1220	No
lonitorSetting	Pr2.04	2nd notch frequency	2000	50 ~ 2000	2000	Hz	No
ExtensionSetting SpecialSetting	Pr2.05	2nd notch width	2	0~20	2		No
	Pr2.06	2nd notch depth	0	0~99	0		No
FactorySetting			n.	0~32767	0	0.1ms	Internal
FactorySetting	Pr2.22	Positonal command smoothin	U				